

The page features decorative geometric patterns at the top and bottom. The top pattern consists of overlapping diamond shapes with various textures and colors: green, grey, and white. The bottom pattern consists of overlapping diamond shapes with various textures and colors: grey, orange, and white. The central text is in red.

WRACER

CATALOGUE 2021-2022

 **RACER**

Light Up The Future



AI LAMP VOICE CONTROL



Sapphire 24W 5Pcs. 390x390x85 mm.



Crystal 24W 5Pcs. 390x390x85 mm.



Luxury 50W 5Pcs. 485x485x72 mm.

Reborn

สั่งได้ 12 คำสั่งเสียง

AI DOWNLIGHT VOICE REMOTE



Reborn 24W 5Pcs. 390x390x85 mm.

AI Downlight Voice Remote 48W 5Pcs. 200x570x70 mm.

LED CEILING LAMP STAR FORCE



S1 24W 5Pcs.



S2 24W 5Pcs.



S3 36W 5Pcs.



S4 36W 5Pcs.

TRIPLE COLORS LED CEILING

COSMIC

3 ใน 1

24W

6500K/3000K/4000K/2100LM



CM1 5Pcs.



CM2 5Pcs.



CM3 5Pcs.



CM4 5Pcs.

36W

6500K/3000K/4000K/3600LM



CM5 5Pcs.



CM6 5Pcs.



CM7 5Pcs.



CM8 5Pcs.

50W

6500K/3000K/4000K/4500LM




CM9 5Pcs.



CM10 5Pcs.

KATIE
LED A60



6W/DL	450lm	50Pcs.
6W/WW	430lm	50Pcs.
7W/DL	580lm	50Pcs.
7W/WW	530lm	50Pcs.
7.5W/DL	650lm	50Pcs.
7.5W/WW	600lm	50Pcs.
8W/DL	800lm	50Pcs.
8W/WW	650lm	50Pcs.
8W/4000k	700lm	50Pcs.
9W/DL	850lm	50Pcs.
9W/WW	700lm	50Pcs.
10.5W/DL	1000lm	50Pcs.
10.5W/WW	920lm	50Pcs.
12W/DL	1050lm	50Pcs.
12W/WW	950lm	50Pcs.
13.5W/DL	1320lm	50Pcs.
13.5W/WW	1250lm	50Pcs.

ซื้อ 3 แดง 1

7W/DL	580lm	3Pcs.
9W/DL	850lm	3Pcs.
12W/DL	1050lm	3Pcs.
16W/DL	1600lm	3Pcs.



LED KATIE G45



4W/DL	340lm	20Pcs.
4W/WW	310lm	20Pcs.



4W/DL	310lm	20Pcs.
4W/WW	290lm	20Pcs.



LED Emergency Bulb



1W/RGB	10Pcs.
--------	--------



9W/DL	800lm	50Pcs.
-------	-------	--------



LED A65 / A70



KATIE

15.5W/DL	1450lm	50Pcs.
15.5W/WW	1350lm	50Pcs.
18.5W/DL	1850lm	50Pcs.
18.5W/WW	1750lm	50Pcs.
20.5W/DL	2000lm	50Pcs.
20.5W/WW	1900lm	50Pcs.



15W/DL	1500lm	50Pcs.
15W/WW	1400lm	50Pcs.
20W/DL	2100lm	50Pcs.
20W/WW	1900lm	50Pcs.




LED Candle & Tails



Candle Clear

4W/DL	260lm	20Pcs.
4W/WW	250lm	20Pcs.



Tails Clear

4W/DL	260lm	20Pcs.
4W/WW	250lm	20Pcs.



Candle Frosted

4W/DL	260lm	20Pcs.
4W/WW	250lm	20Pcs.



Tails Frosted

4W/DL	260lm	20Pcs.
4W/WW	250lm	20Pcs.

LED MR16 220 โวลต์

4W/DL	400lm	100Pcs.
4W/WW	370lm	100Pcs.
7W/DL	680lm	100Pcs.
7W/WW	660lm	100Pcs.



LED

Adjustable Downlight



Round Type

5W/DL	480lm	60Pcs.
5W/WW	440lm	60Pcs.
Ø 90x45 mm.		



Square Type

5W/DL	480lm	60Pcs.
5W/WW	440lm	60Pcs.
90x90x45 mm.		



NANO LED DOWNLIGHT

NANO-D

6W	∅ 120x15 mm.
9W	∅ 160x15 mm.
12W	∅ 160x15 mm.
18W	∅ 200x15 mm.
24W	∅ 300x6 mm.

NANO-Q

6W	120x120x15 mm.
12W	145x145x15 mm.
18W	200x200x15 mm.
24W	300x300x6 mm.



DOWNLIGHT EVO TECH RECESSED

9W	675lm	600lm	60Pcs.	∅ 125x45 mm.
12W	1040lm	940lm	60Pcs.	∅ 140x45 mm.
18W	1600lm	1400lm	60Pcs.	∅ 170x45 mm.
24W	2200lm	1980lm	60Pcs.	∅ 220x45 mm.

NANO-D
12W



∅ 174x10 mm.

930lm 850lm 840lm 60Pcs.

6W	9W	12W	18W	24W
450lm	600lm	1100lm	1450lm	1920lm
430lm	560lm	990lm	1300lm	1720lm



DOWNLIGHT EVO TECH SURFACE

12W	1100lm	980lm	60Pcs.	∅ 170x54 mm.
18W	1600lm	1450lm	60Pcs.	∅ 220x54 mm.

Neon Flex



Digital Neon Flex

RGB Color 5m. 20Pcs.



Neon Flex

White Color	5m.	20Pcs.
Warm white	5m.	20Pcs.
Red Color	5m.	20Pcs.
Green Color	5m.	20Pcs.
Blue Color	5m.	20Pcs.

Flex Strip

RGB Color 5m. 20Pcs.



Track light




Fixture E27 Slide Fixture GU5.3 Octa Fixture GU5.3 Square

GU5.3 Octa White/Black	64x93x69 mm.	50Pcs.
GU5.3 Square White/Black	72x93x69 mm.	50Pcs.
E27 Slide White/Black	50x50x102 mm.	50Pcs.
1 Meter White/Black	38x975x320 mm.	30Pcs.

High Bay STAR★TECH

DIMENSION



60W/DL	5400lm	1Pcs.	∅ 240x75x135 mm.
100W/DL	9000lm	1Pcs.	∅ 300x75x135 mm.
150W/DL	13500lm	1Pcs.	∅ 350x85x145 mm.
200W/DL	18000lm	1Pcs.	∅ 390x90x135 mm.

FLOODLIGHT SPOT BRIGHT



TIS 1955-2551 RETL

Automatic Emergency light



2x6W/DL	126x200x145 mm.	10Pcs.
2x5W/DL	126x200x145 mm.	6Pcs.



20W	6500K/1800lm	24Pcs.
20W	3000K/1800lm	24Pcs.
30W	6500K/2800lm	16Pcs.
30W	3000K/2700lm	16Pcs.
50W	6500K/4800lm	8Pcs.
50W	3000K/4600lm	8Pcs.
100W	6500K/9000lm	5Pcs.
150W	6500K/13500lm	5Pcs.
200W	6500K/18000lm	5Pcs.

Automatic Photo Switch



LIGHT SENSOR

10A/220V

5.26x50.7x96.46 mm. 100Pcs.



Surface Downlight Noble Tower



Round Type



Square Type

WHITE/BLACK	50Pcs.	78x78x100 mm.
WHITE/BLACK	50Pcs.	83x83x100 mm.



POSTTOP SOLAR

BOLLARD

EMPIRE

OSKAR



SOLAR CELL

OSKAR 3w	6500K / 400lm	4Pcs.
OSKAR 3w	3000K / 350lm	4Pcs.
EMPIRE 3w	6500K / 160lm	4Pcs.
EMPIRE 3w	3000K / 140lm	4Pcs.
BOLLARD 3w	6500K / 160lm	2Pcs.
BOLLARD 3w	3000K / 140lm	2Pcs.



STREETLIGHT SOLAR EXTRA LIFE



30W	6500K / 700lm	5Pcs.
60W	6500K / 1200lm	5Pcs.
100W	6500K / 1700lm	5Pcs.
150W	6500K / 2200lm	5Pcs.



SOLAR WALL LAMP CRYSTAL



10W	6500K / 250lm	10Pcs./60Pcs.
20W	6500K / 500lm	10Pcs./60Pcs.



SOLAR LED FLOODLIGHT INFINITE



100W	6500K / 1600lm	5Pcs.
200W	6500K / 2400lm	5Pcs.
300W	6500K / 3200lm	5Pcs.



LED MAGNET

Light Up The Future



MAGNET ULTRA WIDE

3 COLORS

MAGNET ULTRA WIDE HIGH LUMEN

SUPER BRIGHT MAGNET



18.5W	6500K / 2000lm	20Pcs.
24.5W	6500K / 2700lm	20Pcs.
36.5W	6500K / 4000lm	20Pcs.



24W	3200lm	10Pcs.
24.5W	2900lm	10Pcs.
36W	4500lm	10Pcs.
36.5W	4000lm	10Pcs.



18W	6500K / 2200lm	20Pcs.
24W	6500K / 3000lm	20Pcs.



36W	6500K / 4500lm	30Pcs.
-----	----------------	--------

Vintage Style



- E14
- IP20
- NO UV RADIATION
- 300
- NO DIMMING
- Eye Protection
- TIS 1955-2551 RETL



G45 E27 2W (Clear)/WW	200lm	50Pcs.
G45 Amber E27 2W/WW	180lm	50Pcs.
A60 Amber E27 4W/WW	430lm	50Pcs.
G95 Amber E27 6W/WW	500lm	50Pcs.
ST64 Amber E27 4W/WW	430lm	50Pcs.
Diamond Amber E27 4W/WW	430lm	50Pcs.



T8 SIMPLE FULL SET

9W/DL	900lm	12Pcs.	33x620x44 mm.
18W/DL	1800lm	12Pcs.	33x1220x44 mm.

T8 SIMPLE PLUS FULL SET

9.5W/DL	900lm	12Pcs.	33x620x44 mm.
18.5W/DL	1800lm	12Pcs.	33x1220x44 mm.
24.5W/DL	2400lm	12Pcs.	33x1220x44 mm.

สวิตช์เลือก

LED T8 ECO SPRING LED FULL SET



9W/DL	900lm	12Pcs.	35x630x57 mm.
18W/DL	1800lm	12Pcs.	35x1237x57 mm.

LED T8 Racer LED Fullset 9W



9W/DL	900lm	12Pcs.	35x630x57 mm.
9W/WW	850lm	12Pcs.	35x630x57 mm.
18W/DL	1800lm	12Pcs.	35x1237x57 mm.
18W/WW	1750lm	12Pcs.	35x1237x57 mm.

LED T8 SPRING FULL SET HIGH LUMEN



9W/DL	1200lm	12Pcs.	33x630x46 mm.
18W/DL	2400lm	12Pcs.	32x1240x46 mm.

LED T8 SPRING TECH FULL SET



9W/DL	900lm	12Pcs.	34x632x62 mm.
18W/DL	1800lm	12Pcs.	34x1243x62 mm.

LED T5 FULL SET



8W/DL	700lm	25Pcs.	22x575x32 mm.
8W/WW	650lm	25Pcs.	22x575x32 mm.
16W/DL	1530lm	25Pcs.	22x1168x32 mm.
16W/WW	1430lm	25Pcs.	22x1168x32 mm.

LED T8 LED TUBE



KIMMIE CLASSIC LED RETRO

9W/DL	900lm	30Pcs.	∅ 28x605 mm.
18W/DL	1800lm	30Pcs.	∅ 28x1215 mm.
9W/WW	850lm	30Pcs.	∅ 28x605 mm.
18W/WW	1750lm	30Pcs.	∅ 28x1215 mm.
9W/DL	1200lm	30Pcs.	∅ 28x605 mm.
18W/DL	2400lm	30Pcs.	∅ 28x1215 mm.
24W/DL	2400lm	30Pcs.	∅ 28x1215 mm.

Batten Type V-Shape Fixture

V-Shape 1xL600	6Pcs.	110.9x632x78.8 mm.
V-Shape 1xL1200	6Pcs.	110.9x1234x78.8 mm.
V-Shape 2xL600	6Pcs.	110.9x632x57.5 mm.
V-Shape 2xL1200	6Pcs.	110.9x1234x57.5 mm.

I & U Series

I Series 2x9W	10Pcs.	171x630x63 mm.
I Series 2x18W	10Pcs.	171x1238x63 mm.
U Series 2x9W	10Pcs.	171x630x63 mm.
U Series 2x18W	10Pcs.	171x1238x63 mm.

Ceiling Recessed

2x18 (30x60)	295x623x75 mm.
2x18 (60x60)	595x623x75 mm.
2x36 (30x120)	295x1232.3x75 mm.
2x36 (60x120)	595x1232x75 mm.
3x36 (60x120)	595x1221.6x75 mm.

LED Water Proof Fixture



1x9W IT8	9Pcs.	76x670x70 mm.
1x18W IT8	9Pcs.	76x1280x70 mm.
2x9W IT8	9Pcs.	104x670x70 mm.
2x18W IT8	9Pcs.	104x1280x70 mm.

Ceiling Surface

2x18 (30x60)	295x611.5x75 mm.
2x18 (60x60)	595x611.5x75 mm.
3x36 (60x120)	595x1221.6x75 mm.
1x36 (30x120)	295x1221.6x75 mm.
2x36 (30x120)	295x1221.6x75 mm.
2x18 (60x120)	595x1221.6x75 mm.

LED PANEL เปลี่ยนหลอดได้



18W/DL	900lm	6Pcs.	30x640 mm.
24W/DL	1800lm	6Pcs.	30x1240 mm.

LED PANEL ULTRA SLIM



40W/DL	3200lm	6Pcs.	60x60x7 mm.
40W/WW	3200lm	6Pcs.	30x120x7 mm.



ULTRA SLIM 0.7 cm.

CONSUMER UNIT



TIS 2425-2552 Rccb RETL TIS 1436-2540 ASSEMBLY RETL CE IEC 60898-1

PREMIUM SET Specification

Model	Main Breaker 2 Pole 50/63A 10kA	RCCB 2 Pole 63A 10kA	MCB 1 Pole 6kA			Dimension (H*W*L) mm.
			16A	20A	32A	
4 Way	1 Pc.	1 Pc.	1 Pc.	1 Pc.	2Pcs.	222*267*113
6 Way	1 Pc.	1 Pc.	2 Pcs.	2 Pcs.	2 Pcs.	222*345*113
8Way	1 Pc.	1 Pc.	2 Pcs.	2 Pcs.	4 Pcs.	222*421*113
10 Way	1 Pc.	1 Pc.	2 Pcs.	3 Pcs.	5 Pcs.	
12Way	1 Pc.	1 Pc.	3 Pcs.	4 Pcs.	5 Pcs.	

COMPLETE SET Specification

Model	Main Breaker 2 Pole 50A 10kA	MCB 1 Pole 6kA			Dimension (H*W*L) mm.
		16A	20A	32A	
6 Way	1 Pc.	2 Pcs.	2 Pcs.	2 Pcs.	222*267*113
8 Way	1 Pc.	3 Pcs.	3 Pcs.	2 Pcs.	222*345*113
10Way	1 Pc.	4 Pcs.	3Pcs.	3 Pcs.	

HYBRID SET Specification

Model	Main Breaker 2 Pole 10kA	MCB 1 Pole 6kA			Dimension (H*W*L) mm.
		16A	20A	32A	
2 Way	1 Pc. (M32A)	-	2 Pcs.	-	172*153*97
	1 Pc. (M50/63A)	-	1 Pc.	1 Pc.	
4 Way	1 Pc. (M32A)	1 Pc.	3 Pcs.	-	172*190*97
	1 Pc. (M50/63A)	2 Pcs.	1 Pc.	1 Pc.	

ผลิตภัณฑ์กลุ่มตู้ไฟสวิตช์บอร์ด และตู้ไฟพลาสติก



STEEL CABINET

ตู้ไฟสวิตช์บอร์ดใช้มาตรฐาน RSC-SS Series

ตู้ไฟสวิตช์บอร์ดใช้มาตรฐาน: สมบัติทางไฟฟ้า สอดคล้องตาม IEC 60898-1 เพื่อใช้งานกับวงจรไฟฟ้า หรือติดตั้งอุปกรณ์ควบคุมไฟฟ้า อิมพีดิ่ง เช่น MCB, Relay เป็นต้น ขนาดความหนามาตรฐาน 0.8 mm. พื้นผิวสีฝุ่น (Epoxy+Polyester Powder Coated) ควบคุมการเพิ่มอุณหภูมิของแผงควบคุม



กรุณาเลือกแบบกอดเค็งได้ พร้อมกรุณาเลือก

ช่องบานเทร็ดระบายอากาศ

รหัส • Code	ไซส์ Size	กว้าง Width (mm.)	สูง Height (mm.)	ลึก Depth (mm.)
RSC-SS00	00	200	300	150
RSC-SS0	0	250	350	150
RSC-SS1	1	300	450	170
RSC-SS2	2	350	520	170
RSC-SS3	3	400	570	200

รหัส • Code	ไซส์ Size	กว้าง Width (mm.)	สูง Height (mm.)	ลึก Depth (mm.)
RSC-SW00	00	200	300	150
RSC-SW0	0	250	350	150
RSC-SW1	1	300	450	170
RSC-SW2	2	350	520	170
RSC-SW3	3	400	570	200

PLASTIC CABINET

STEEL CABINET WITH ROOF



Racer Electric (Thailand) Co., Ltd.

Found in 1969, Racer Electric Co., Ltd., an original equipment manufacturer (OEM) is best known for its product quality and customer services. Racer Electric Co., Ltd is one of Thailand's leading original equipment manufacturer of electromagnetic ballasts with over 1 million units production capacity per month. In addition to the line of high quality ballast product, Racer Electric Co, Ltd, has been distinguished by its extensive and innovative lines of lightings and lighting accessories for both interior and exterior applications.

Racer Electric Co., Ltd, employed modern technology and team of professional experts, inspecting production process and ensuring that all components of product were undergo meticulous quality and standard checkout.

We continue our research and development with modern equipment. Only raw materials of first suite quality are selected, in order to ensure that our products will meet customer satisfaction and criteria of Thai Industrial Standard (TIS). we also emphasizes on production safety and excellent organization management system.

Additionally, Racer Electric Co., Ltd, is particularly give an important to personal development, organize training on various skills, including leadership training to prepare them for future role of leader.

With the strong commitment to create the best quality products, Racer Electric Co., Ltd, has successfully become the leader of lighting industry with certified by the department of export promotion, the ministry of commerce as well as international accreditation bureau. Until present, we are the largest manufacturer of ballast and lighting fixtures in Thailand as well as country number 1 of ballast exporter.



Certificate



RACER ELECTRIC (THAILAND) CO.,LTD.

137 Moo 9 Soi Sornthong, Petchkasem 91 Rd., Suanluang, Kratumban, Samutsakorn 74110 Thailand.

Tel.(662) 811-1741 Fax.(662) 420-0293

www.racerlighting.com